## SPECIAL QUALITY SUBMINIATURE VOLTAGE REFERENCE TUBE

M8190

Special quality 85V subminiature gas-filled voltage reference tube.

LIMITING VALUES <sup>1</sup> (absolute ratings)		
*Minimum voltage necessary for ignition	125	٧
Burning current		
Maximum	3.5	mΑ
Minimum	0.5	mΑ
Maximum negative anode voltage	75	٧
Minimum ambient temperature	-55	$^{\circ}$ C
Maximum bulb temperature	<b>+90</b>	°C
*This value covers operation in daylight and complete	darkness.	
PREFERRED OPERATING CONDITION		
Burning current	2.0	mΑ
CHARACTERISTICS		
Measured at preferred operating condition and $T_{\mathrm{an}}$	$_{ m abient} = 25^{\circ}$ C	
Maintaining voltage (variation from tube to tube)	84 to 88	٧
Maximum maintaining voltage difference over curre	ent	
range 0.5 to 3.5mA	3.0	٧
Maximum incremental resistance	1.0	$\mathbf{k}\Omega$
Variation of maintaining voltage during the first 1000 hours of life	ı	
Maximum	$\pm$ 1.0	%
Typical	±0.5	%
• •		

#### **OPERATING NOTES**

A steady maintaining voltage is reached within 3 min.

The greatest constancy of maintaining voltage is obtained if the tube is operated at the preferred current.



# M8190

### SPECIAL QUALITY SUBMINIATURE **VOLTAGE REFERENCE TUBE**

R <sub>lim.</sub> I <sub>burning</sub> ( $k\Omega$ ) (mA) 30 2.0 After initial warming-up period of 3 minutes at b					at burning o	current of 2	2.0mA	
TESTS						A.O.L. <sup>2</sup>	Individua	ls³

1E515	A.Q.L. <sup>2</sup>	Indivi Min.	duals³ Max.	
Ignition voltage  Maintaining voltage  Change in maintaining voltage for burning current	· †	 84	125 88	<b>V</b>
change from 1.9 to 2.1mA	1	_	0.2	٧
Voltage jumps. Burning current varies from 1.2 to 3.5m	A †	_	25	mV
Oscillation. Burning current varies from 1.2 to 3.5mA	†	_	15	mV
Microphonic noise	. †		25	mV (-pk) (-pk)
†This test is carried out on a 100% basis.			(P)	-ρκ)
GROUP B Ignition voltage in darkness after 24 hours in darkness Leakage current. Supply voltage $=50V\ R_a=1M\Omega$ . Change in maintaining voltage for burning current	2.5 . 2.5		125 15	<b>ν</b> Αυ
change from 0.5 to 3.5mA	2.5		3.0	V
Maintaining voltage at burning current of 3.5mA Group quality level <sup>7</sup>	. 2.5 . 6.5	=	89 —	٧
GROUP C Glass strain test 8A. No applied voltage	. 6.5 . 6.5		<del></del>	
Resonance search Vibrated at 2g over frequency range specified. 25 to 500c/s	. 2.5	_	5.0	mŲ
500 to 2500c/s	. 2.5		15	m.s.) mV m.s.)
FEBRUARY 1959 (1)			Page	 D2



### SPECIAL QUALITY SUBMINIATURE VOLTAGE REFERENCE TUBE

# M8190

Fati		-11
rau	206	

No applied voltage, 5g min. peak acceleration,  $f = 170 \pm 5 c/s$  for 33 hours in each of 3 mutually perpendicular planes

### Post fatigue tests

Change in maintaining voltage Microphonic noise		• •	_	_	±0.8 50	v mV
					(pl	k-pk)
Sub-group quality level <sup>7</sup>	 		 4.0	_		

#### Shock12

No applied voltage, 750g

#### Post shock tests

Change in maintaining voltag	е	 	 2.5	_	$\pm$ 0.8	٧
Microphonic noise		 	 2.5	_	50	mV
Sub-group quality level7		 	 4.0	_	(p)	(–pk)

#### **GROUP D**

#### Life test11


Burning current = 2mA continuous

### Life test end points. 1000 hours

Ignition voltage	2.5	_	125	V
Change in maintaining voltage from 0 to 300 hours	2.5	_	± 0.4	٧
Change in maintaining voltage from 0 to 1000 hours	2.5	_	$\pm$ 0.8	٧
Change in maintaining voltage for burning				
current change from 1.9 to 2.1mA	2.5	_	+ 0.2	٧
Group quality level <sup>7</sup>	6.5		_	



### SPECIAL QUALITY SUBMINIATURE VOLTAGE REFERENCE TUBE



The bulb dimensions of this tube are in accordance with BS448, Section B8D.

Note.—Direct soldered connections to the leads of the tube must be at least 5mm from the seal and any bending of the leads must be at least 1.5mm from the seal.

