Medium-Mu Triode

NUVISTOR TYPE For Industrial Applications

GENERAL DATA

Electrical:	
Heater, for Unipotential Cathode: Voltage (AC or DC) Current at 6,3 volts Direct Interelectrode Capacitances (Approx.): Grid to plate. Grid to cathode, shell, and hear	- - 2.2
Plate to cathode, shell, and her Plate to cathode Heater to cathode	ater $1.6 extit{} \mu\mu$ f
Characteristics, Class A Amplific	er: 😁
Plate Supply Voltage	75 volts 26.5 40 - volts 0 0 0 volts 100 ohms 31 35 35 0.5 0.5 - megohm 4400 3200 3000 ohms 7000 11000 11500 µmhos 2.8 6.8 10.5 ma 7 volts
Mechanical:	
Operating Position	0.800" 0.625" 0.440"
Pin 1ª - Internal Con-	
nection— Do Not Use Pin 2 - Plate Pin 3 - Same as Pin 1 Pin 4 - Grid Pin 5 - Same as Pin 1 Pin 6 - Same as Pin 1 Pin 7 - Same as Pin 1 Pin 8 - Cathode Pin 9 - Same as Pin 1	Second Se
Pin 10 — Heater Pin 12 — Heater	• = PIN CUT OFF
	→ Indicates a change.

INDUSTRIAL SERVICE Maximum Ratings, Absolute-Maximum Values: For operation at any altitude PLATE SUPPLY VOLTAGE. 330 max. volts volts 55 max. volts 4 max. volts 2 max. ma 15 max. ma 1 max. watt. Heater negative with respect to cathode . 100 max. volts Heater positive with respect to cathode . 100 max. volts Maximum Circuit Values: Grid-Circuit Resistance: b For fixed-bias operation. 0.5 max. megohm For cathode-bias operation. 1 max. megohm a Pin is cut off close to ceramic wafer. → b For operation at metal-shell temperatures up to 150° C. CHARACTERISTICS RANGE VALUES FOR EQUIPMENT DESIGN Note Min. Max. 1 0.125 0.145 amp Direct Interelectrode Capacitances: Capacitances: Grid to plate . . . 2.6 μμf 1.8 Grid to cathode, shell, and 3.8 4.6 μμf $\mu\mu$ f 1.7 2 μμf Plate to cathode..... Plate Current (1)..... Plate Current (2)..... Transconductance (1)..... Transconductance (2)..... 0.32 12.5 μμf 0.2 ·1,3 9 ma μa 10000 13000 9000 μmhos. Transconductance (2).... Transconductance Change: Difference between Transconductance (1) and Transconductance (2), expressed in per cent of Transconductance (4). 15 % 0.1 1,6 1,3 28 40 Heater negative with respect to cathode. 5 1.7 μa Heater positive with

RADIO CORPORATION OF AMERICA Electron Tube Division Harrison, N. J.

respect to cathode. . . .



5 μ a \rightarrow Indicates a change.

Leakage Resistance: Between grid and all other 1000 electrodes tied together. . Between plate and all other 1,8 megohms electrodes tied together. . 1000 megohms Note 1: With 6.3 volts ac or dc on heater. Note 2: Measured in accordance with EIA Standard RS-191-A. Note 3: With dc plate supply volts = 75, cathode resistor = 100 ohms, and cathode-bypass capacitor = 1000 μf . Note 4: With dc plate volts = 75, dc grid volts = -7, and metal shell connected to ground. Note 5: With 5.7 volts ac or dc on heater. Note 6: With dc plate volts \pm 80, grid supply volts \pm -1.2, grid resistor \pm 0.5 megohm, and metal shell connected to ground. Note 7: With 100 volts dc applied between heater and cathode. Note 8: With grid 100 volts negative with respect to all other electrodes tied together. Note 9: With plate 300 volts negative with respect to all other electrodes tied together.

SPECIAL RATINGS & PERFORMANCE DATA

Shock Rating:

Fatigue Rating:

Vibrational Acceleration. 2.5 max. g

This test is performed on a sample lot of tubes to determine ability of tube to withstand the specified vibrational acceleration. Tubes are rigidly mounted, supplied with nominal heater voltage only, and subjected for 48 hours to 2.5-g vibrational acceleration at 60 cycles per second in the XI position. At the end of this test, tubes are criticized for the same characteristics and end-point values as in the Shock Rating Test described above.

Variable-Frequency Vibration Performance:

This test is performed on a sample lot of tubes from each production run. The tube is operated under the conditions specified in CHARACTERISTICS RANGE VALUES for Transconductance (I) with the addition of a plate-load resistor of 2000 ohms. During operation, tube is vibrated in a direction perpendicular to the longitudinal axis of the tube through the frequency range from 50 to 15,000 cycles per second under the following

←Indicates a change.



conditions: a sweep rate of one octave per 30 seconds from 50 to 3000 cps, a 7-second sweep from 3000 to 15,000 cps, and a constant vibrational acceleration of 1 g. During the test, tube must not show an rms output voltage across the plate-load resistor in excess of: (1) 25 millivolts from 50 to 6000 cps, and (2) 500 millivolts from 6000 to 15,000 cps.

Low-Pressure Voltage-Breakdown Test:

This test is performed on a sample lot of tubes from each production run. In this test, tubes are operated with 240 rms volts applied between plate and all other electrodes and will not break down or show evidence of corona when subjected to air pressures equivalent to altitudes of up to 100,000 feet.

- Heater Cycling:

Cycles of Intermittent Operation. . . . 2000 min. cycles

This test is performed on a sample lot of tubes from each
production run under the following conditions: heater volts
= 7.5 cycled one minute on and two minutes off; heater 100
volts negative with respect to cathode; grid, plate, and metal
shell connected to ground. At the end of this test, tubes are
tested for open heaters and heater-cathode shorts.

- Shorts and Continuity:

This test is performed on a sample lot of tubes from each production run. Tubes are subjected to the Thyratron-Type Shorts Test described in MIL-E-ID, Amendment 2, Paragraph 4.7.7, except that tapping is done by hand with a soft rubber tapper. See accompanying Shorts-Test Acceptance-Limits curve. Tubes are criticized for permanent or temporary shorts and open circuits.

Early-Hour Stability Life Performance:

This test is performed on a sample lot of tubes from each production run to insure that tubes are properly stabilized. In this test, tubes are operated for 20 hours at maximum-rated plate dissipation. After 2 hours of operation and again after 20 hours of operation, tules are checked for transconductance under the conditions specified in CHARACTERISTICS RANGE VALUES for Transconductance (I). A tube is rejected if its transconductance after 2 or 20 hours of operation has changed more than 10 per cent from the 0-hour value.

100-Hour Life Performance:

This test is performed on a sample lot of tubes from each production run to insure a low percentage of early-hour inoperatives. Tubes are operated for 100 hours at maximum-rated plate dissipation, and then subjected to the Shorts and Continuity Test previously described. Tubes must then show a transconductance of not less than 7500 micromhos under the conditions specified in CHARACTERISTICS RANGE VALUES for Transconductance (i).

-Indicates a change.

RADIO CORPORATION OF AMERICA Harrison, N. J.



1000-Hour Conduction Life Performance:


This test is performed on a sample lot of tubes from each production run to insure high quality of the individual tube and guard against epidemic failures due to excessive changes in any of the characteristics indicated below. In this test, tubes are operated for 1000 hours at maximum-rated plate dissipation^d, and then criticized for inoperatives, reverse grid current, heater-cathode leakage current, and leakage resistance. In addition, the average change in transconductance of the lot from the 0-hour value for Transconductance (!) specified in CHARACTERISTICS RANGE VALUES, must not exceed 15 per cent at 500 hours, and 20 per cent at 1000 hours.

1000-Hour Standby Life Performance:

This test is performed on a sample lot of tubes from each production run. The tubes are operated for 1000 hours with only heater voltage applied. Tubes are criticized for interelectrode leakage, reverse grid current, change in transconductance of individual tubes from values at 0-hours and cathode interface resistance greater than 25 ohms. Interface resistance is measured by Method B of ASTM specification F300-57T.

C Specifications for tapper supplied on request.


d At shell temperature of 150° C.




NOTE I: MAXIMUM OUTSIDE DIAMETER OF 0.440" IS PERMITTED ALONG 0.190" LUG LENGTH.

NOTE 2: SHELL TEMPERATURE SHOULD BE MEASURED IN ZONE "A" BETWEEN BROKEN LINES.

AVERAGE CHARACTERISTICS







92CM-10464RI

RADIO CORPORATION OF AMERICA Electron Tube Division Harrison, N. J.






AVERAGE CHARACTERISTICS



92CS-1046IRI

SHORTS-TEST ACCEPTANCE LIMITS



RADIO CORPORATION OF AMERICA Electron Tube Division Harrison, N. J.

